

RUSH!!

Work Order ID 147838

147838

Page 1

Thursday, June 16, 2016 11:51:20 AM

Item ID: D5311-7

Accept

N900040100

Setup Start *NS1*

Revision ID:

Stop *NS2*

Item Name: Prop Rod

Start Date: 6/16/2016 Start Qty: 3.00

3

Cust Item ID:

Required Date: 6/16/2016 Req'd Qty: 3.00

3

Customer:

Reference:

Approvals: Process Plan: dm Date: 16/06/16 Tooling: _____ Date: _____
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Run Start *NR1*

Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D5311	B								

110

0.00

110

Small Fab

Memo

0.00

Small Fab

1- CUT AT 12.00"

2- PUNCH ONE END AS SPEC CONTROL DWG (SEE NOTES)

3- TRIM OFF ACCESS MATERIAL AS PER DWG.

4- DRILL HOLE AS PER DWG AND DEBURR

3 FF JUN 16 2016

120

QC5- Inspect part completeness to step on W/O

0.00

120

QC

Memo

0.00

Quality Control

(3) DAS 38 JUN 16 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐							
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval			
Description Work Order Deviation				Disposition				Completed By			
								Lead hand / Supervisor Approval Verification			
								QC / QA Coordinator Approval			
Root Cause				FAULT CATEGORY							
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐				Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐						Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐	
OTHER : ☐											

Work Order ID 147838

Thursday, June 16, 2016 11:51:20 AM

147838

Page 2

Item ID: D5311-7

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Prop Rod

Start Date: 6/16/2016 Start Qty: 3.00

3

Cust Item ID:

Required Date: 6/16/2016 Req'd Qty: 3.00

3

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

130

Identify as per dwg & Stock Location: WA002

0.00

130

Packaging

Memo

0.00

Packaging

WA1

316-06-16gme

140

QC21- Final Inspection - Work Order Release

0.00

140

QC

Memo

0.00

Quality Control

16/6/21

JUN 17 2016

MCS

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval	
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								

Picklist Print

Thursday, June 16, 2016 11:51:20 AM

Page 1

Work Order ID: 147838

147838

Parent Item: D5311-7

D5311-7

Parent Item Name: Prop Rod

Start Date: 6/16/2016

Required Date: 6/16/2016

Start Qty: 3.00

Required Qty: 3.00

Comments: IIN REV:A 16.02.10 NEW ISSUE DD VERF:JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

M304TR0.750W.049

Purchased

No

f

263.8649

3.157895

M304TR0 750W 049

**

FF JUN 16 2016

304 RD Tube .750 x .049W

Location

Loc Qty

Loc Code

GA002

258.2921952

M132270

0.00001

M133131

0.0007242

M133509

14.210211

M133700

2.794323

M133914

5.98516

M134138

1.1364496

M134212

8.5144235

M134306

16.8053689

M134528

52.616579

M134604

52.388945

M134824

29.650527

M134993

74.189474

MAT

5.5727347

M133400

5.5727347

3.157895

DQA: _____ Date: _____





WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____


Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐		Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐					
OTHER : ☐									

ITEM	QTY	P/N	DESCRIPTION
	X	D5311-041	ENGINE COWL SWIVEL PROP ROD ASSEMBLY
1	1	D3158-030	HEAT SHRINK TUBING
2	1	D3622-15	BALL STUD
3	1	D5311-1	SWIVEL JOINT
4	1	D5311-3	SWIVEL JOINT
5	1	D5311-5	PROP ROD
6	1	D5311-7	PROP ROD
7	2	D5317-1	DOWEL PIN
8	1	LN9016-06K	WASHER (ALT: LN9016-06L, 23111AG050LE)
9	1	LN9161-06M	NUT (ALT: ASN52320BH050N)



DETAIL A



D5311-041 ENGINE COWL SWIVEL PROP ROD

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
- 7) WEIGHT: 0.91 lbs
- 8) WELD PER QSI 004
- 9) ENSURE ROD SWIVELS EASILY AFTER WELDING
- 10) REMOVE WELDING MARKS USING ELECTROPOLISHER
- 11) INSTALL APPROXIMATELY AS SHOWN


RELEASED
2016-04-18
EN 16-57

APPROVED

B	REVISED D5311-3 DIMENSIONS. ADDED D3622-15 BALL STUD, LN9161-06M NUT AND LN9016-06K WASHER. ADDED D5311-7 PROP ROD (SHEET 5).	AK	16.02.17
A	NEW ISSUE	AK	15.09.28
REV.	DESCRIPTION	BY	DATE
DESIGN	AK	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AK		
CHECKED	CC	DRAWING NO.	REV. B
MFG. APPR.	DD	D5311	SHEET 1 OF 1
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	ENGINE COWL SWIVEL PROP ROD NTS	
DATE	16.02.17	COPYRIGHT © 2015 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

w/o 147888

dm 16/06/16



D5311-1 SWIVEL JOINT, INNER





NOTES:

- 1) MATERIAL: AISI 304/316 SS ROUND BAR
PER ASTM A276
REF DART SPEC M304R
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.10 lbs

RELEASED
2016-04-18

APPROVED

DESIGN	AK	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AK		
CHECKED	CC	DRAWING NO.	REV. B
MFG. APPR.	DD	D5311	SHEET 2 OF 5
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	ENGINE COWL SWIVEL PROP ROD NTS	
DATE	16.02.17	COPYRIGHT © 2015 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



NOTES:

- 1) MATERIAL: AISI 304/316 SS ROUND BAR
PER ASTM A276
REF DART SPEC M304R
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.11 lbs

D5311-3 SWIVEL JOINT, OUTER

RELEASED
2016-04-18




APPROVED

DESIGN	AK
DRAWN	AK
CHECKED	CC
MFG. APPR.	DD
APPROVED	HS
DE APPR.	DS
DATE	16.02.17

DART AEROSPACE LTD
HAWKESBURY, ONTARIO, CANADA

DRAWING NO. **D5311** REV. B
SHEET 3 OF 5
TITLE **ENGINE COWL SWIVEL PROP ROD NTS**

COPYRIGHT © 2015 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS UNDERSTANDING THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



D5311-5 PROP ROD




NOTES:

- 1) MATERIAL: AISI 304/316 SS SEAMLESS ROUND TUBING
PER ASTM A276 OR ASME SA213 OR ASTM A269
REF DART SPEC M304TR0.750W.049
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.35 lbs
- 8) PUNCH END USING TOOL NUMBER DT8117

RELEASED
2016-04-18

APPROVED

DESIGN	AK	DART AEROSPACE LTD	
DRAWN	AK	HAWKESBURY, ONTARIO, CANADA	
CHECKED	CC	DRAWING NO.	REV. B
MFG. APPR.	DD	D5311	SHEET 4 OF 5
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	ENGINE COWL SWIVEL PROP ROD NTS	
DATE	16.02.17	COPYRIGHT © 2015 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS RELEASED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



D5311-7 PROP ROD

NOTES:

- 1) MATERIAL: AISI 304/316 SS SEAMLESS ROUND TUBING
PER ASTM A276 OR ASME SA213 OR ASTM A269
REF DART SPEC M304TR0.750W.049
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.35 lbs
- 8) PUNCH END USING TOOL NUMBER DT8117. TRIM, DRILL NEW HOLE AND FORM CORNERS AS REQUIRED

RELEASED
2016-04-18

APPROVED

DESIGN	AK	DART AEROSPACE LTD	
DRAWN	AK	HAWKESBURY, ONTARIO, CANADA	
CHECKED	CC	DRAWING NO.	REV. B
MFG. APPR.	DD	D5311	SHEET 5 OF 5
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	ENGINE COWL SWIVEL PROP ROD NTS	
DATE	16.02.17	COPYRIGHT © 2015 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL. NO PART OF THE CONTENTS HEREIN IS TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

INSPECTION SHEET

DAS
30

9-83Date:

Revised by
KJ